

Patient ID <b>C7028846-0004847</b>	Patient Name <b>TESTING, PHI</b>	Birth Date <b>1990-09-01</b>	Gender <b>M</b>	Age <b>30</b>
Order Number <b>X100330538</b>	Client Order Number <b>X100330538</b>	Ordering Physician <b>UNKNONW,PROVIDER</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>22 Sep 2020 13:00</b>		

**Prostate Health Index Reflex, S**
**Prostate Specific Antigen, S**

**9.9 ng/mL**  
High

 SDL  
 Reference Value  
 $\leq 2.0$ 
**Received:** 23 Sep 2020 12:28

**Reported:** 23 Sep 2020 12:29

**Prostate Health Index (phi) Reflex**
**Free PSA, S**
**2.0 ng/mL**

SDL

**[-2]ProPSA, S**
**20.0 pg/mL**

SDL

**% Free PSA**
**20 %**

SDL

% Free PSA	Probability of Cancer
$\leq 10\%$	56%
11–15%	28%
16–20%	20%
21–25%	16%
>25%	8%

**Prostate Health Index**

SDL

**31.5**

phi range	Probability of Cancer	95% Confidence Interval
0–26.9	9.8%	5.2–15.4%
27.0–35.9	16.8%	11.3–22.2%
36.0–54.9	33.3%	26.8–39.9%
$\geq 55.0$	50.1%	39.8–61.0%

**ADDITIONAL INFORMATION**

The testing method is an immunoenzymatic assay manufactured by Beckman Coulter Inc. and performed on the UniCel Dxl 800.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

**Received:** 23 Sep 2020 12:28

**Reported:** 23 Sep 2020 12:30

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592